

# Package **tblr-extras**

Manuel E. Merino

v1.1 - 13/06/2024

Extra libraries for tabularray package.

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Installation and use</b>	<b>2</b>
<b>3</b>	<b>Available libraries</b>	<b>2</b>
3.1	caption library . . . . .	2
3.2	babel library . . . . .	2
<b>4</b>	<b>Bug reports and suggestions</b>	<b>2</b>
<b>5</b>	<b>License</b>	<b>2</b>
<b>6</b>	<b>Changelog</b>	<b>3</b>

# 1 Introduction

The **tblr-extras** package is a collection of extra libraries for the `tabulararray` package.

Currently, it includes two libraries: `caption` and `babel`.

## 2 Installation and use

To install the **tblr-extras** package download and unzip the `tblr-extras.sty` file and place it in a folder accessible to  $\LaTeX$  (this can be the current working folder or a subfolder in the `TEXMF` directory).

To use the **tblr-extras** package add the following command to the preamble of your document: `\usepackage{tblr-extras}`

## 3 Available libraries

### 3.1 caption library

The **tblr-extras** package changes the way `tabulararray` typesets the captions of `talltblr` and `longtblr` environments, using the settings defined by the `caption` package.

To enable this library, use `\UseTblrLibrary{caption}` after loading **tblr-extras** and `tabulararray` packages.

### 3.2 babel library

The **tblr-extras** package redefines the `conthead-text` and `contfoot-text` for the `longtblr` environment, using the current `babel` language.

Currently only `spanish`, `ngerman`, `russian`, `ukrainian` and `french` variants are supported.

## 4 Bug reports and suggestions

For bug reports and suggestions, please use GitHub or send an email to `manuel.merino.pe@gmail.com`.

## 5 License

The **tblr-extras** package and all its included files are licensed under the LPPL v1.3c or later.

## 6 Changelog

v1.1 - Thanks sgolovan.

- Improved the babel library using language hooks.
- Added support for polyglossia package.
- Added ukrainian and russian translations.

v1.0 - Initial release.